



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 9 N

R 2 W



Township No. IX North of the Base Line, Range No. II West of the 3rd Meridian. Surveyed by W. Harris 1816

Description of the Soil on the interior Sectional Lines.

Section	Quality, &c.	Section	Quality, &c.	Section	Quality, &c.
35.36	Land hilly, middling farming land. Oak, Ash, Poplar, Hickory, Sugar	35.34	North's rolling 1 st rate farming land. South's hilly 2 nd rate.	35.35	South's rolling 1 st rate farming land. North's hilly 2 nd rate.
35.36	ditto	37.31	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent land	37.32	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent land
35.26	ditto	37.28	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent land	37.29	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent land
35.25	Middling farming land. Oak, Hickory, Sugar	37.27	Land good for farming	37.30	Land good for farming
35.24	Rolling, good farming land. Oak, Ash, Poplar, Hickory, Walnut, Sugar	37.26	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.31	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.23	Middling farming land. Oak, Hickory, Sugar, Poplar, Walnut	37.25	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.32	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.22	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.24	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.33	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.21	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.23	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.34	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.20	Middling farming land. Oak, Hickory, Sugar, Poplar, Walnut	37.22	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.35	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.19	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.21	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.36	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.18	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.20	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.37	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.17	Middling farming land. Oak, Hickory, Sugar, Poplar, Walnut	37.19	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.38	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.16	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.18	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.39	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.15	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.17	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.40	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.14	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.16	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.41	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.13	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.15	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.42	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.12	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.14	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.43	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.11	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.13	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.44	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.10	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.12	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.45	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.09	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.11	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.46	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.08	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.10	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.47	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.07	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.09	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.48	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.06	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.08	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.49	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.05	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.07	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.50	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.04	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.06	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.51	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.03	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.05	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.52	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.02	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.04	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.53	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land
35.01	Good farming land. Oak, Ash, Poplar, Hickory, Sugar	37.03	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land	37.54	Land rolling. Oak, Sugar, Ash, Oak, Walnut, Poplar, excellent farming land

Twp 8. N R. No 27th 2nd Mer. Ind.

76.27 Into cut the N Bound at 358 lms East of the post on of
 Sec. 31. 130 T 9 N R. 27th and set a post for the corner of Sec.
 586. From which
 Hick 3 in diam. hms. S 87° 14' E 14 lms. dist; m.
 Birch 3 4 " " N 57° 11' 8" " "
 Same do the same. as last met.

Surveyed by
 Arthur Henric
 Dep^y Sur.

Comp.

I certify, that the foregoing Transcript of the field
 notes of Township No 8 North of Range No 2 West
 of the 2nd Principal Meridian in Indiana has
 been compared with the Original notes with the Office
 and found to be correct.
 Surveyor General's Office,
 Cincinnati, Nov. 17 1841

Surveyor General.

Township No 9 North of Range No 2 West 2nd Mer. Ind

South Boundary.

B 136

April 6. 1811. From the corner of T. 5. 8 & 9 N R. 27th.
 Met On the South Boundary of sec. 36. T 9 N R 27th.
 4000 Set a new post from which
 Hick 13 in diam. hms. N 37° E 34 lms. dist; m.
 Do. 14 " " S 53° 11' 22 " "
 8000 Set a post for the corner of sec. 35 & 36. from which
 Dogwood 5 in diam. hms. S 76° 11' 28 lms. dist; m.
 Do. 4 " " N 46° E. 16 " "
 Same do the same. as last met.

Met On the South Boundary of sec. 35 T 9 N R 27th.
 35.00 Set a post 10 lms. m. from S.
 4000 Set a new post from which
 Birch 10 in diam. hms. S 46° E. 14 lms. dist; m.
 Dogwood 5 " " N 87° 11' 16 " "
 8000 Set a post for the corner of sec. 34 & 35. from which
 Oak 13 in diam. hms. N 30° 11' 7 lms. dist; m.
 Do. 18 " " S 45° 11' 13 " "
 Same do the same.

Met On the South Boundary of sec. 34 T 9 N R 27th.
 4000 Set a new post from which
 Sugar 12 in diam. hms. S 25° E. 13 lms. dist; m.
 Do. 8 " " N 57° 11' 22 " "
 8000 Set a post for the corner of sec. 33 & 34 from which
 Gum 5 in diam. hms. S 40° 11' 10 lms. dist; m.
 Bleed 36 " " S 55° E. 15 " "
 Same do the same. as last met.

Met On the South Boundary of sec. 33 T 9 N R 27th.
 4000 Set a new post from which
 Sugar 10 in diam. hms. N 22° 11' 13 lms. dist; m.

80.00 Sugg. 13 in diam. bears N 11 W 30 links dist.
Set apart for the cor. of sec. 32 & 33 from which,
Maple 16 in diam. bears N 25 E 4 1/2 links dist.; or,
Sugg. 8 1/2 " " S 35 W 30 " "
Lundegord, Limbu Sugar, Oak Walnut, &c.

West On the South Boundary of sec. 32 T. 9. N. R. 2 W.
29.00 To a Buck 20 links m. from N.
40.00 Set a post from which
Oak 5 in diam. bears S 7 E 18 1/2 links dist.; or,
Butternut 12 1/2 " " N 40 W 16 " "

80.00 Set apart for the cor. of sec. 31 & 32 from which,
Sugg. 12 in diam. bears S 30 E 14 links dist.; or,
Buck 8 " " " N 10 W 12 " "

West On the South Boundary of sec. 31 T. 9. N. R. 2 W.
40.00 Set a post for the cor. of 1/4 Sec. from which a
Sugg. 16 in diam. bears N 26 W 26 links dist. &
Lo. 4 " " " S 30 E 5 " "
80.00 Set a temp. post for the cor. of Towns 8 & 9. N. R. 2 W. 3 N.
Land same as last mile. April 4. 1861

East Boundary.

North On the East Boundary of Sec. 36. T. 9. N. R. 2 W.
40.00 Set a post for the cor. of 1/4 Sec. from which a
Hickory 10 in diam. bears West 18 links dist. &
Maple 11 " " " N 65 E 8 3/4 " "
61.00 To a Mt. Oak 14 in diam. in the line
80.00 Set a post for the cor. of Sec. 35 & 36 from which
Sycamore 4 in diam. bears S 33 E 32 links dist. &
Lo. 6 " " " N 33 W 34 " "
Land level & first rate. Timber, Sugar Oak, &c.

North On the East Boundary of Sec. 25 T. 9. N. R. 2 W.
38.00 To a Buck 10 links m. from N. E.
40.00 Set a post from which
Maple 14 in diam. bears S 50 E 18 1/2 links dist.; or,
Lo. 11 " " " N 79 W 10 " "
66.00 To a Hickory 14 in diam. in the line.
80.00 Set apart for the cor. of sec. 24 & 25 from which,
Hickory 12 in diam. bears N 50 E 20 links dist.; or,
Buck 12 " " " S 74 W 26 " "
Land & timber same as last mile.

North On the East Boundary of sec. 24. T. 9. N. R. 2 W.
22.50 To a Buck 12 links m. from N. E.
40.00 Set a post from which
Maple 14 in diam. bears S 10 E 29 1/2 links dist.; or,
Poplar 25 " " " S 75 W 10 " "
69.50 To a Walnut 13 in diam. in the line.
80.00 Set apart for the cor. of sec. 13 & 14 from which,
Oak 18 in diam. bears N 46 W 20 links dist.; or,
Dogwood 4 " " " S 39 W 10 " "
Land oak & hickory

North On the East Boundary of sec. 13 T. 9. N. R. 2 W.
23.50 To a Hickory 18 in diam. in the line.
40.00 Set a post from which
Sugg. 10 in diam. bears N 38 W 34 links dist.; or,
Lo. 13 " " " S 38 E 21 " "
67.00 To a Buck 12 links m. from N. E.
73.50 " " " Lo. 8 " " " S E.
80.00 Set a post for the cor. of sec. 12 & 13 from which,
Hickory 12 in diam. bears S 37 W 3 links dist.; or,
Lo. 10 " " " S 68 E 10 " "
Land of middling quality Limbu Oak Buck &c.

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

North On the East Boundary of sec 12 T. 9. N. R. 27.
 32.50 To an Ash. 30 in dia. in the m.
 40.00 Set a post for the corner from which
 Sugar. 12 in dia. beam. N 47° 11' 9" W 36° 00' 00" N 13
 Butt. 18 " " " S 57° 00' 00" E 31 " " "
 43.50 To a Post 10 1/2 miles m. from Sec. 12.
 53.50 To a Poplar. 20 in dia. in the m.
 80.00 Set a post for the corner of sec 12 from which
 Birch. 13 in dia. beam. N 29° 00' 00" E 31 " 00' 00" N 13
 Sugar. 12 " " " N 60° 00' 00" W 40 " " "
 Land and timber some at last m.

North On the East Boundary of sec. 1. T. 9. N. R. 27.
 37.75 To a Line S 53° 00' 00" W.
 40.00 Set a post for the corner from which
 Sugar. 17 in dia. beam. S 86° 00' 00" E 36 " 00' 00" N 13
 Do. 14 " " " N 19° 00' 00" W 31 " " "
 54.00 To a Sugar. 16 in dia. in the m.
 80.00 Set a post for the corner of T. 9 N. R. 27 from
 which Birch. 5 in dia. beam. N 16° 00' 00" W 13 " 00' 00" N 13
 Do. 12 " " " N 46° 00' 00" E 28 " " "
 Good land timber Birch, Sugar, Oak, &c.

North Boundary

April 9 1811. East on a random line between
 T. 9 N. R. 27. 5 miles 73 ch. Full 1000
 North of the 1st corner. Corrected and marked
 the line. West.

West On the South Boundary of Sec. 36. T. 10. N. R. 27.
 7.50 To a Birch. 15 in dia. m. from Sec. 36.
 40.00 Set a post for the corner from which
 Ash. 20 in dia. beam. S 77° 00' 00" E 20 " 00' 00" N 13
 Birch 14 " " " N 10° 00' 00" E 4 " " "

3141

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

80.00 Set a post for the corner 35136 from which
 Birch 30 in dia. beam. N 53° 00' 00" W 14 " 00' 00" N 13
 Hick 5 " " " S 85° 00' 00" E 8 " " "
 Good land. Timber Birch, Oak Walnut.

West On the South Boundary of sec. 35 T. 10. N. R. 27.
 40.00 Set a post for the corner from which
 Sugar. 16 in dia. beam. N 60° 00' 00" E 2 " 00' 00" N 13
 Sugar. 6 " " " S 20° 00' 00" W 36 " " "
 80.00 Set a post for the corner 34135 from which
 Sugar. 12 in dia. beam. S 40° 00' 00" E 36 " 00' 00" N 13
 Birch. 16 " " " N 48° 00' 00" W 24 " " "
 Good land and rock. Good land. Timber Birch,
 Oak, &c.

West On the South Boundary of sec. 34 T. 10. N. R. 27.
 40.00 Set a post for the corner from which
 Birch 11 in dia. beam. N 52° 00' 00" E 16 " 00' 00" N 13
 Do. 12 " " " S 21° 00' 00" E 18 " " "
 50.00 To a rock. 75 lbs m. from Sec. 34.
 80.00 Set a post for the corner 33134 from which
 Sugar. 14 in dia. beam. N 59° 00' 00" W 10 " 00' 00" N 13
 Do. 5 " " " S 41° 00' 00" W 14 " " "
 Good land & rock; Timber Birch, Sugar Walnut,

West On the South Boundary of sec. 33. T. 10. N. R. 27.
 40.00 Set a post for the corner from which
 Hick 18 in dia. beam. N 18° 00' 00" E 14 " 00' 00" N 13
 Birch. 6 " " " N 27° 00' 00" E 21 " " "
 80.00 Set a post for the corner 32133 from which
 Birch 12 in dia. beam. N 46° 00' 00" W 9 " 00' 00" N 13
 Birch 12 " " " S 14° 00' 00" W 18 " " "
 Good land Timber Oak & Birch

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

North On the East Boundary of sec. 12 T. 9. N. R. 27.

32.50 To an Ash. 30 in diam. in the river.

40.00 Set a post for the corner from which

Sugar. 12 in diam. bears N 47° W. 9 1/2 m. dist; or

Butter milk. 18 " " S 57° E. 31 " "

43.50 To a Bar. 10 1/2 m. in diam. corner S. E.

53.50 To a Poplar. 20 in diam. in the river.

80.00 Set a post for the corner of sec. 17 1/2 from which

Beck. 13 in diam. bears N 29° E. 31 1/2 m. dist; or

Sugar. 12 " " S 60° W. 40 " "

Sands and timber some at least mile.

North On the East Boundary of sec. 1. T. 9. N. R. 27.

37.75 To a Lin. 6537.

40.00 Set a post for the corner from which

Sugar. 17 in diam. bears S 8° E. 36 1/2 m. dist; or

Do. 14 " " S 19° W. 31 " "

54.00 To a Sugar. 16 in diam. in the river.

80.00 Set a post for the corner of T. 9 N. R. 27 from

which, Beck. 5 in diam. bears S 16° W. 13 1/2 m. dist; or

Do. 12 " " S 4° E. 28 " "

Good land timber Beck, Sugar, Oak, &c.

North Boundary

B141

April 9 1811. East on a random line between

T. 9 N. R. 27. 5 miles 73 ch. Full 1000

North of the T. corner. corrected and marks

the line. West.

West On the South Boundary of sec. 36. T. 10. N. R. 27.

7.50 To a Birch 15 m. in diam. corner N. E.

40.00 Set a post for the corner from which

Ash. 20 in diam. bears S 77° E. 2 1/2 m. dist; or

Beck 14 " " S 10° E. 4 " "

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

80.00 Set a post for the corner 35 1/2 m. from which

Beck 30 in diam. bears N 57° W. 14 1/2 m. dist; or

Nicks 5 " " S 5° E. 8 " "

Good land. Timber Beck, Oak Walnut.

West On the South Boundary of sec. 35. T. 10. N. R. 27.

40.00 Set a post for the corner from which

Sugar. 16 in diam. bears N 60° E. 2 m. dist; or

Sugar. 6 " " S 20° W. 36 " "

80.00 Set a post for the corner 34 1/2 m. from which

Sugar. 12 in diam. bears S 70° E. 3 1/2 m. dist; or

Beck. 16 " " S 48° W. 24 " "

Good land and rock. Good land. Timber Beck,

Oak, &c.

West On the South Boundary of sec. 34. T. 10. N. R. 27.

40.00 Set a post for the corner from which

Beck 11 in diam. bears N 50° E. 16 m. dist; or

Do. 12 " " S 21° E. 18 " "

50.00 To a rock. 75 m. in diam. corner N. W.

80.00 Set a post for the corner 33 1/2 m. from which

Sugar. 14 in diam. bears N 59° W. 10 m. dist; or

Do. 5 " " S 41° W. 14 " "

Sands and rock; Timber Beck, Sugar Walnut,

West On the South Boundary of sec. 33. T. 10. N. R. 27.

40.00 Set a post for the corner from which

Nicks 18 in diam. bears S 18° E. 14 m. dist; or

Beck. 16 " " S 27° E. 21 " "

80.00 Set a post for the corner 32 1/2 m. from which

Beck 12 in diam. bears N 46° W. 9 m. dist; or

Beck 12 " " S 14° W. 18 " "

Good land. Timber Oak & Beck,

T. N. G. N. R. No. 277th Min. Ind.

	Aug. 16 in dist. line S 5 E. 32 m. dist. 20 No. 9 " " S 86 N. 15 " " Sands rolling and good for farming; Timber Oak Poplar, Walnut, Sugar, Ash, Birch &c.
East 41.00	On a random line between Sec. 13 & 24 T. 9. N. R. 27 th Set a trap for deer post.
81.11	Intersect the East Boundary 17 m. South of the post Cn of sec. 13 & 24 Sands middle good for farming; Timber Oak, Hickory, Birch & Lutescent &c.
West 40.55	On the line between Sec. 13 & 24 T. 9. N. R. 27 th Set the trap for deer post at the on dist. on the line from Whisk, Sugar 9 in dist. line. — S 5 E. 4 p. 10 m. dist. 20, No. 5 " " S 5 E. 34 " "
81.11	Set the post on of sec. 13, 14, 23 & 24
North 40.00	Between Sec. 13 & 24 T. 9. N. R. 27 th Set a trap for deer post from which, Beck 18 in dist. line S 17 N. 16 m. dist. 20, Sugar 11 " " S 10 E. 17 " "
80.00	Set a post for the cn of sec. 11, 12, 13 & 24 from which, Elm. 7 in dist. line S 6 E. 19 m. dist. 20, Sugar 7 " " S 80 E. 12 " " Sands good for farming; Timber Oak, Ash & Birch, Poplar & Elm.
September 7, 1815.	
East 40.00	On a random line between Sec. 12 & 13 T. 9. N. R. 27 th Set a trap for deer post.
81.36	Intersect the East Boundary 8 m. South of the post. Cn of sec. 12 & 13. Sands middle good for farming.

T. N. G. N. R. No. 277th Min. Ind.

West 40.68	On the line between Sec. 12 & 13 T. 9. N. R. 27 th Set the trap for deer post at the on dist. on the line from from which, Beck 10 in dist. line S 5 N. 5 m. dist. 20 and a No. 2 " " S 54 E. 2 " "
80.36	Set the post on of sec. 11, 12, 13 & 24
North 40.00	Between Sec. 11 & 12 T. 9. N. R. 27 th Set a trap for deer post from which, Beck 11 in dist. line S 7 N. 9 m. dist. 20, Sugar 6 " " S 6 E. 15 " "
80.00	Set a post for the cn of sec. 1, 2, 11 & 12 from which, Beck 16 in dist. line S 6 E. 13 m. dist. 20, Hickory 18 " " S 77 N. 23 " " Sands rolling and middle good for farming; Timber Oak, Sugar Oak, & Hickory &c.
East 40.00	On a random line between Sec. 1 & 12 T. 9. N. R. 27 th To a small spring branch corner E.
40.00	Set a trap for deer post.
81.32	Intersect the East Boundary 22 m. North of the post. Cn of sec. 1 & 12. Sands thin Timber Birch Oak & Poplar &c.
West 40.66	On the line between Sec. 1 & 12 T. 9. N. R. 27 th Set the trap for deer post at the on dist. on the line from from which, Beck 10 in dist. line S 42 N. 14 m. dist. 20 and a No. 5 " " S 35 E. 22 " "
81.32	Set the cn of sec. 1, 2, 11 & 12.
North 5.00	Between Sec. 1 & 2 T. 9. N. R. 27 th To a Rock 14 p. m. dist. N. N.
40.00	Set a trap for deer post from which, Beck 16 in dist. line S 23 N. 5 m. dist. 20.

T. N. G. A. R. No. 277 2nd Mm. Ind.

Beck 10 in dist. bears NW & 21 mts. north
 64.00 To a Brook & 1/2 mts. lower &c.
 79.15 Intersect the NW line 178 mts. West of the first cor-
 of sec. 35 & 36. T. N. G. A. R. 277 and at a post from
 " " 100 from which
 Immore 2 1/2 in dist. bears S 85 E. 3 mts. dist. to
 " 3 " " " N 69 W 8 " "
 Land made by for farming. Timber Oak, Beech &
 Hickory &c.

North Return Sec. 34 & 35 T. N. G. A. R. 277. Sept. 15 1815.
 40.00 Set a post from which
 Beck 10 in dist. bears N 40 E 10 mts. dist. to
 " 10 " " " S 15 E 18 " "
 80.00 Set a post for the cor. of sec. 26 27 34 & 35 from which
 Immore 4 in dist. bears S 50 E 7 mts. dist. to
 Sugar 12 " " " S 69 W 9 " "
 Land rolling or low hills. Timber Poplar, Sugar, Beech,
 Walnut, Oak, Hickory. Excellent farming land very
 rich soil

East On a Random line between Sec. 26 & 35 T. N. G. A. R. 277
 40.00 Set a post 1/2 m. to post.
 79.78 Intersect the NW line 95 mts. North of the post cor. of
 Sec. 25 26 35 & 36. Land low hills. Timber Beech,
 Oak, Hickory, Poplar &c. Mudling good for farming

West Return Sec. 26 & 35 T. N. G. A. R. 277. Line line
 39.89 Set the post 1/2 m. to post at the ar. dist. on the line from
 which, Hickory 14 in dist. bears S 40 E 21 mts. dist. to
 " " " " " S 51 W 11 " "
 79.78 To the cor. of sec. 26 27 34 & 35

T. N. G. A. R. No. 277 2nd Mm. Ind.

North Return Sec. 26 & 27 T. N. G. A. R. 277. Sept. 16 1815.
 40.00 Set a post from which
 " 5 in dist. bears S 57 W 15 mts. dist. to
 " " " " " N 75 W 14 " "
 80.10 Set a post for the cor. of sec. 22, 23, 26 & 27 from which
 W Beck 5 in dist. bears S 66 W 13 mts. dist. to
 Sugar 16 " " " N 22 E 17 " "
 Land good for farming. Timber Oak, Ash, Pop-
 lar, Walnut &c.

East On a Random line between Sec. 23 & 26 T. N. G. A. R. 277
 40.00 Set a post 1/2 m. to post.
 80.20 Intersect the NW line 20 mts. South of the post.
 cor. of sec. 23 24 25 & 26. Land the same as last m.

West On the line between Sec. 23 & 26 T. N. G. A. R. 277
 40.10 Set the post 1/2 m. to post at the ar. dist. on the line
 from which, Sugar 8 in dist. bears N 30 W 9 mts. dist.
 " " " " " E 18 " " " West. 12 " "
 80.20 To the post cor. of sec. 22 23 26 & 27

South Return Sec. 22 & 23 On a Random line T. N. G. A. R. 277
 40.00 Set a post 1/2 m. to post.
 80.39 Intersect the NW line 18 mts. East of the post cor. of
 Sec. 22, 23, 26 & 27. Land rolling & good for farming

North On the line between Sec. 22 & 23 T. N. G. A. R. 277
 40.19 Set the post 1/2 m. to post at the ar. dist. on the line
 from which, Beck 7 in dist. bears N 83 W 17 mts. dist.
 " " " " " N 70 E 31 " "
 80.39 To the post cor. of sec. 14 15, 22 & 23

West Return Sec. 14 & 23 T. N. G. A. R. 277

40.00 Set a 7/8 cup post from which
 Cherry 27 in diam. bears S 26 N 10 links dist. La
 Buck 24 " " " N 40 E 30 " "
 62.00 To a Brook 50 links mid, corner N.W.
 80.00 Set a post for the cor of sec. 14 15. 22 & 23 from which
 a Buck 36 in diam. bears West 17 1/2 links dist. La
 Sugar. 16 " " " N 7 E 14 " "
 Land same as on the last mile

North Return Sec 14 & 15. T. 9. N. R. 277. Sept. 19 1815

40.00 Set a 7/8 cup post from which
 Walnut. 16 in diam. bears N 60 E 20 links dist. La
 Sugar. 17 " " " S 44 N 32 " "

73.00 To a Brook 50 links mid, corner N.W.

80.00 Set a post for the cor of sec 14 15. 10 & 11 from which
 Sugar. 16 in diam. bears. N 89 N 33 links dist. La
 W. Buck 6 " " " N 73 E 10 " "

Land good for farming Timber Walnut, Sugar
 Oak, Oak, Buck, Buckeye &c.

East On a Random line between Sec. 11 & 14 T. 9. N. R. 277

40.00 Set a temp 7/8 cup post.

80.19 Intersect the N. 73 line 11 links North of the post cor
 of sec. 11. 12. 13 & 14 Land the same as last mile.

West On the Line line between Sec. 11 & 14 T. 9. N. R. 277

20.597 Set the temp 7/8 cup post at the ar dist on the line
 from which W Walnut. 16 in diam. bears S 60 N 26 links dist
 and a Buck 17 " " " N 44 E 31 " "

80.19 To the post cor of sec 10 11. 14 & 15.

North Return Sec 10 & 11 T. 9. N. R. 277.

36.00 To a Brook 25 links mid corner N.W.

40.00 Set a post for the cor of 1/4 Sec. from which a
 Sugar 14 in diam. bears N 43 N 2 links dist. La
 Do. 4 " " " S 26 E 7 1/2 " "

80.00 Set a post for the cor of Sec. 2. 3. 10 & 11. from which an
 Oak 20 in diam. bears S 87 E 31 links dist. La
 Do 13. " " " N 77 N 19 " "
 Land same as on the last mile

East On a Random line between Sec. 2 & 11. T. 9. N. R. 277

40.00 Set or temp 7/8 cup post.

80.67 Intersect the N 73 line 19 links South of the post cor
 of sec. 1. 2. 11 & 12. Land the same.

West On the Line line between Sec. 2 & 11. T. 9. N. R. 277.

40.357 Set the temp 7/8 cup post at the ar dist on the line
 from which Sugar 17 in diam. bears S 89 N 14 links dist
 and a Buck 11 " " " S 64 E 29 " "

80.67 To the post cor of sec. 2. 3. 10 & 11.

North Return Sec. 2 & 3. T. 9. N. R. 277.

39.00 To a Brook 50 links mid, corner N.W.

40.00 Set a 7/8 cup post from which

W. Buck. 3 in diam. bears. — 56 N. 18 links dist. La

Sugar 11 " " " N 58 N 25 " "

78.25 Intersect the N. 73 line 24 7 links West of the post cor
 of sec. 3 & 13. T. 10 N. R. 277. and set a post for the
 cor of 2 & 3 from which

Sugar 7 in diam. bears S 79 E 4 links dist. La

Buckeye 10 " " " S 80 N 16 " "

Land good for farming Timber Oak, Sugar, Buckeye Walnut. &
 good for farming.

South On a Random line between Sec. 33 & 34 T. 9. N. R. 277.

13.50 To a Brook 15 links wide course S. W.
 40.00 Set a temp^l post for the cor. of 1/4 Sec.
 80.30 Intersect the E. & W. line 67 links West of the post cor.
 of Sec.
 Land on the North rolling & 1st rate farming Land
 2nd 1/2 Hill & 3rd rate for farming Timber same.

North On the true line between Sec. 33 & 34. T. 9. N. R. 2. W.
 40.15 Set the temp^l post at the av. dist. on the true line
 for the cor. of 1/4 Sec. from which a
 Sugar. 5. in diam. bears N. 13. E. 10. links dist. &
 Buck 12. " " " T. 50. W. 10. " "
 80.30 To the post cor. of Sec. 27. 28. 33 & 34

West Between Sec. 27. & 34. T. 9. N. R. 2. W. v. 5. 26
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar. 9. in diam. bears S. 79. W. 28. links dist.
 & a Birch. 8. " " " N. 51. E. 32. " "
 80.00 Set a post for the cor. of Sec. 27. 28. 33 & 34. from
 which a Sugar 6. in diam. bears S. 8. W. 2. links dist.
 and a No. 8. " " " N. 74. W. 8. " "
 Land rolling & good for farming: Timber Buck
 Sugar. Ash. & Walnut.

North Between Sec. 27. & 28. T. 9. N. R. 2. W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar. 7. in diam. bears S. 59. W. 23. links dist.
 & a No 16. " " " N. 82. E. 28. " "
 50.00 To a Brook 15 links wide: course W.
 80.00 Set a post for the cor. of Sec. 21. 22. 27. & 28. from
 which a B. Walnut 14. in diam. bears S. 71. E. 20. links dist.
 and a Sugar. 10. " " " N. 68. W. 13. " "
 Land rolling & good for farming. Timber Buck. Sugar. Ash &

West On a Random line between Sec. 22 & 27. T. 9. N. R. 2. W.
 40.00 Set a temp^l post
 80.96 Intersect the N. 13 line 53 links South of the post cor. of Sec.
 21. 22. 27. & 28. Land good for farming

East On a true line between Sec. 22 & 27. T. 9. N. R. 2. W.
 40.27 Set the temp^l post at the av. dist. on the true line from
 which a Sugar. 9 in diam. bears N. 55. E. 7. links dist.
 & a No. 24. " " " N. 57. 8. " "
 80.95 To the post cor. of Sec. 22. 23. 26 & 27

North Between Sec. 21. & 22. T. 9. N. R. 2. W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 9. in diam. bears N. 47. W. 18. links dist. &
 Elm 24. " " " S. 14. E. 41. " "
 80.00 Set a post for the cor. of Sec. 15. 16. 21. & 22. from which
 a Sugar. 8. in diam. bears N. 37. E. 19. links dist. &
 No. 7. " " " S. 28. W. 20. " "
 Land rolling & good for farming: Timber same as last mile

West On a Random line between Sec. 15. & 22. T. 9. N. R. 2. W.
 40.00 Set a temp^l post for the cor. of 1/4 Sec.
 81.36 Intersect the N. & S. line 52 links South of the post
 cor. of Sec. 15. 16. 21. & 22.
 Land & Timber same as in the last mile.

East On the true line between Sec. 15. & 22. T. 9. N. R. 2. W.
 40.68 Set a post for the cor. of 1/4 Sec. at the av. dist. on
 the true line from which a
 Sugar. 20. in diam. bears N. 32. E. 10. links dist. &
 No. 9. " " " S. 52. W. 13. " "

North Between Sec. 15. & 16. T. 9. N. R. 2. W.

T. N. 9. N. R. N. 27. 2nd M. Ind.

- 40.00 Set a post for the cor. of 1/4 Sec. from which a
Sugar 12 in diam. bears S. 86. E. 4 links dist. &
No. 27. " " " S. 59. W. 23. " "
- 80.00 Set a post for the cor. of Sec. 9. 10. 15. & 16. from which
a Buck 12 in diam. bears N. 82. E. 11 links dist.
Sun Ark 30. " " " S. 41. W. 16. " "
- Land good for farming. Timber same as last mile

- East On a Random line between Sec. 10 & 15. T. 9. N. R. 2. M.
- 14.50 To a Buck 60 links wide: Course N. W.
- 40.00 Set a temp^l post for the cor. of 1/4 Sec.
- 42.50 To a Buck 30 links wide: Course N.
- 81.24 Intersect the N. & S. line 107 links South of the post
cor. of Sec. 10. 11. 14. & 15.
- Land & Timber same as on the last mile.

- West On the True line between Sec. 10 & 15. T. 9. N. R. 2. M.
- 40.62 Set the temp^l post for the cor. of 1/4 Sec. at the aver.
dist. on the true line from which a
Sugar 15 in diam. bears N. 27. E. 12 links dist. &
No. 4. " " " S. 55. E. 12. " "
- 81.24 To the post cor. of Sec. 9. 10. 15. & 16.

- North Between Sec. 9 & 10. T. 9. N. R. 2. M.
- 40.00 Set a post for the cor. of 1/4 Sec. from which a
Buck 14 in diam. bears N. 27. W. 33. No. 18. &
No. 5. " " " S. 56. E. 16. " "
- 60.00 To a spring corner E.
- 80.00 Set a post for the cor. of sec. 34 & 35. (from which)
a Sugar 20 in diam. stands for the cor. of Sec. 34.
& 35. Land & timber Sugar, Walnut,
part pt. rate for farming.

T. N. 9. N. R. N. 27. 2nd M. Ind.

- West On a Random line between Sec. 37 & 38. T. 9. N. R. 2. M.
- 40.00 Set a temp^l post for the cor.
- 45.00 To a creek 60 links wide, corner N.
- 80.50 Intersect the N. & S. line 103 links South of the post cor.
of sec. 34 & 35. Land the same as last mile
-
- East On the True line between Sec. 37 & 38. T. 9. N. R. 2. M.
- 40.25 Set a temp^l post for the cor. at the aver. dist. on the true line
from which, Sugar 20 in diam. bears S. 71. W. 9. No. 18.
" " " No. 14. " " " S. 76. E. 22. " "
- 80.50 To the post cor. of Sec. 32. 18 & 11

Sept. 20. 1815.

- North Between Sec. 37 & 38. T. 9. N. R. 2. M.
- 40.00 Set a temp^l post for the cor.
Buck 18 in diam. bears West 5 No. 18. &
No. 7. " " " S. 68. W. 26. " "
- 75.48 Intersect the N. & S. line 302 links West of the post
cor. of Sec. 33 & 34. T. 10. N. R. 2. M. and set a post
" " " 304 from which
Log wood 5 in diam. bears S. 34. E. 6 No. 18. &
Buck 18 " " " N. 34. W. 23. " "
- Land the same.

- South On a Random line between Sec. 33 & 34. T. 9. N. R. 2. M.
- 30.00 To a Buck 30 links wide, corner N.
- 40.00 Set a temp^l post for the cor.
- 80.64 Intersect the South Bound 75 links West of the
post cor. of Sec. 33 & 34.
- Land N. & S. or North & S. rate, farming land
" South & S. rate. Timber same.
- North On the True line between Sec. 33 & 34. T. 9. N. R. 2. M.

T. N. 9. N. R. N. 27. 2nd Mm. Ind.

40.32 Set the trap for sugar at the armit on the line from
whit, Beak 12 in dist. beam. S14 N. 6 lbs. dist. 12
R. Oak. 14 " " " N 8 N 22 " "
80.64 To the post on of ear. 28.29.32.33.

West Return Sat 28 Feb. T. N. R. 27. v. 5.25
20.00 To a Brook. 20 miles m. d. corner D. M.
40.00 Set a trap for sugar from whit,
Sugar 8 in dist. beam. West 4 lbs. dist. 12
Do. 8 " " " N 64 E 18 " "
42.00 To a Brook 30 miles m. d. corner D. M.
80.00 Set a post for the cor of ear. 28.29.32.33 from whit,
Beak 9 in dist. beam. N 63 E 12 lbs. dist. 12
Sugar 14 " " " N 42 N 14 " "
Land & riding Timber same. Good land for farm-
ing suit soil.

North Return Sat 28 Feb. T. N. R. 27. v. 7.07
40.00 Set a trap for sugar from whit,
Sticks 14 in dist. beam. N 66 N 16 lbs. dist. 12
Beak. 13 " " " N 52 E 18 " "
80.00 Set a post for the cor of ear. 20.21.28 Feb. from whit,
Sugar 8 in dist. beam. N 52 E 10 lbs. dist. 12
Sticks 9 " " " N 37 N 11 " "
Land & good farming land. N. p. hilly Timber
same as last m. d.

East Ogakhanam line between Sat 21 Feb. T. N. R. 27. v. 7.00
40.00 Set a trap for sugar.
80.26 Intersect the N 13 line 20 miles North of the post on
of ear. 21.22.27 Feb.
East & good farming land. West p. hilly &
Stony.

T. N. 9. N. R. N. 27. 2nd Mm. Ind.

West On the line between Sat 21 Feb. T. N. R. 27.
40.13 Set the trap for sugar at the armit on the line from
from whit, Beak 12 in dist. beam. S 21 N 11 lbs. dist.
candy a Sugar. 11 " " " N 32 N 25 " "
80.26 To a section cor for 20.21.28 Feb.

South Ogakhanam line between Sat 20 Feb. T. N. R. 27.
40.00 Set a trap for sugar.
80.20 Intersect the E 77 line 8 miles East of the post on of ear.
20.21.28 Feb. Land & hilly Timber same.

North On the line between Sat 20 Feb. T. N. R. 27.
40.00 Set the trap for sugar at the armit on the line from
from whit, Sugar. 12 in dist. beam. N 58 E 7 lbs. dist.
m. d. a Sticks 9 " " " N 37 N 40 " "
80.20 To the post on of ear. 16.17.20 Feb.

West Return Sat 20 Feb. T. N. R. 27.
40.00 Set a trap for sugar from whit,
Beak 10 in dist. beam. N 61 E 5 lbs. dist. 12
Sugar. 9 " " " N 66 N 28 " "
80.00 Set a post for the cor of ear. 16.17.20 Feb. from whit,
Sugar 9 in dist. beam. N 60 E 12 lbs. dist. 12
Sticks 24 " " " N 16 N 38 " "
Land & hilly & Timber same. A post made by good
for farming.

North Return Sat 16 Feb. T. N. R. 27. v. 7.00
37.00 To a Brook 10 miles m. d. corner D. M.
40.00 Set a trap for sugar from whit,
B. Gum. 18 in dist. beam. N 47 N 8 lbs. dist. 12
Beak 14 " " " N 27 E 41 " "
80.00 Set a post for the cor of ear. 8.9.16 Feb. from whit,

Elm. 10 in dia^r beam. \$106.26 lbs cut, 12,
 Sugar. 8 " " " \$406.10 " "
 Lumber rolling. Timber same. Kind not cut.

East On a Random line between Sec. 9 & 16 T. 9. N. R. 27.
 40.00 Set a temporary post
 79.92 Set out the N. 13 line, 16 miles North of the post on
 of sec. 9 & 16. Land for farming
 Timber same.

West On the line between Sec. 9 & 16 T. 9. N. R. 27.
 39.96 Set a temporary post at the ar. cut on the line from
 which, Sugar 9 in dia^r beam. \$876.22 lbs cut, 12,
 and a Elm. 10 " " " \$406.10 " "
 79.92 Set the corner of sec. 8. 9. 16 & 17.

North Return Sec 8 & 9 T. 9. N. R. 27.
 40.00 Set a post from which,
 Buck 9 in dia^r beam. \$516.7 lbs cut, 12,
 Sugar. 12 " " " " \$18 " "
 80.00 Set apart for the corner of sec. 4, 5, 8 & 9. From which,
 Buck 12 in dia^r beam. \$566.23 lbs cut, 12,
 40 " " " " \$177.11 " "
 Lumber here principally Buck, timber some Su-
 gar, Oak, Poplar, R. & W. not, & a good few
 Grass.

East On a Random line between Sec. 4 & 9 T. 9. N. R. 27.
 40.00 Set a temporary post.
 80.48 Set out the N. 13 line 79 miles North of the post
 corner of sec. 3, 4, 9 & 10. Land mostly low land; East
 for first rate farming land.

West On the line between Sec. 4 & 9 T. 9. N. R. 27.
 40.24 Set the temporary post at the ar. cut on the line from
 which, Buck 20 in dia^r beam. \$566.34 lbs cut, 12,
 and a Elm. 12 " " " " \$876.40 " "
 80.48 Set the corner of sec. 4, 5, 8 & 9.

North Return Sec 4 & 5 T. 9. N. R. 27.
 40.00 Set a post from which,
 Buck 7 in dia^r beam. \$406.23 lbs cut, 12,
 40 " " " " \$257.8 " "
 73.89 Set out the N. 13 line as 448 miles West of the post
 corner of sec. 31 & 32 T. 10. N. R. 27 and set a
 post for the corner of sec. 4 & 5 from which,
 Buck 12 in dia^r beam. \$576.17 lbs cut, 12,
 Buck 24 " " " " \$237.20 " "
 Lumber mostly post; North for post. Good land
 farming; Timber Sugar &c.

South On a Random line between Sec. 31 & 32 T. 9. N. R. 27.
 40.00 Set a temporary post.
 67.00 To a corner 30 miles wide, corner N.
 81.00 Set out the N. 13 line or South boundary 54 lbs
 West of the post corner of sec. 31 & 32.
 Lumber mostly post. For farming, North for
 Willy & Henry.

North Return the line between Sec. 31 & 32 T. 9. N. R. 27.
 40.50 Set the temporary post at the ar. cut on the line from
 which, Buck 8 in dia^r beam. \$857.19 lbs cut, 12,
 Buck 24 " " " " \$157.22 " "
 81.00 Set the corner of sec. 29, 30 & 31 & 32.

West Return Sec 29 & 32 T. 9. N. R. 27.

T. N. G. A. R. N. 277 2nd Mr. Ind.

40.00 Set a trap for first from white, v. 5-40.
 Buck 6 in air: bear. N 11 E. 5 W. dist: 10,
 Walnut 12 " " S 47 E. 9 " "
 80.00 Set a post for the end of sec. 29, 30, 31 & 32 from white,
 Sugar. 9 in air: bear. S 17 N. 7 W. dist: 10,
 Buck 15 " " S 82 E. 20 " "
 Lande hilly Timber Oak, Buck, Sugar, Poplar,
 Lande mudding good for farming.

West Return Sec 30 & 31 T. 9. N. R. 277. v. 5-00
 40.00 Set a trap for first from white,
 Sugar. 12 in air: bear. N 24 E. 14 W. dist: 10,
 Lo. 9 " " " S 67 N. 14 " "
 45.00 To a Brook 20 miles into Corna & N.
 66.64 Enter out the West Boundary 157 miles South of
 the first end of sec. 25 & 36 T. 9. N. R. 37 and set a
 post " " " 30 & 31 from white,
 Sugar. 6 in air: bear. N 6 E. 6 W. dist: 10,
 Lo. 7 " " " S 45 N. 7 " "
 Lande hilly Timber Buck, Sugar, Oak, Walnut.
 Lande mudding good for farming.

South On a Ranam line between Sec. 29 & 30 T. 9. N. R. 277
 40.00 Set a trap for first from white.
 45.50 To a Brook 12 miles into Corna & N.
 79.73 Enter out the E & W line 20 miles West of the first end
 of sec. 29, 30, 31 & 32 Lande similar & quite hilly

North On the same line between Sec. 29 & 30 T. 9. N. R. 277
 39.97 Set the trap for first at the air: bear. on the line
 from white, Sugar. 4 in air: bear. S 87 N. 10 W. dist:
 on air Buck 18 " " N 24 E. 27 " "
 79.73 Set the first end of sec. 19, 20, 29 & 30.

T. N. G. A. R. N. 277 2nd Mr. Ind.

West Return Sec 20 & 29 T. 9. N. R. 277.
 40.00 Set a trap for first from white,
 Buck 9 in air: bear. N 43 E. 18 W. dist: 10,
 Lo. 9 " " " S 11 E. 7 " "
 80.00 Set a post for the end of sec. 19, 20, 29, & 30 from white,
 Sugar. 6 in air: bear. North. 3 W. dist: 10,
 Hick 12 " " S 2 E. 29 " "
 Lande hilly Timber same. Lande mudding good for farming.

West Return Sec 19 & 30 T. 9. N. R. 277.
 40.00 Set a trap for first from white,
 Buck 14 in air: bear. S 63 E. 12 W. dist: 10,
 Sugar 18 " " " N 44 N. 7 " "
 66.25 Enter out the West Boundary 222 miles South of the first
 end of sec. 24 & 33 T. 9. N. R. 37 and set a post for
 " " " 19 & 30 from white,
 Hick 7 in air: bear. S 63 E. 10 W. dist: 10,
 Immort 3 " " " N 44 E. 8 " "
 Lande hilly Timber same. Lande mudding good
 for farming.

South On a Ranam line between Sec. 19 & 20 T. 9. N. R. 277
 40.00 Set a trap for first from white.
 80.28 Enter out the E & W line at the first end of sec. 19, 20, 29 & 30
 Lande hilly Timber same. Lande mudding good for farming.

North On the same line between Sec. 19 & 20 T. 9. N. R. 277
 40.14 Set the trap for first at the air: bear. on the line
 from white, Sugar. 11 in air: bear. N 20 N. 7 W. dist:
 on air Buck 9 " " S 45 E. 39 " "
 80.28 Set the first end of sec. 17, 18, 19 & 20.

West Return Sec. 17 & 20 T. 9. N. R. 277.

40.00 Let a 1/2 report from which,
Sugar 5 in dia. bears N 69 E. 19 lbs. met; or,
Beck 27, " " S 68 N. 15 " "
80.00 Let a post for the cor. of sec. 17, 18, 19, 22, from which,
Beck 24 in dia. bears N 60 N 6 W. 16 lbs. met; or,
Sugar 10 " " S 79 E. 40 " "
Lands rolling timber Beck Sugar, Ash, Walnut,
Poplar, Sand & rate for farming.

West Between Secs 18 & 19, T. 9. N. R. 2 W. 16° 00'
40.00 Let a 1/2 report from which,
Beck 12 in dia. bears S 65 E. 10 lbs. met; or,
Ho. 14 " " N 44 W. 16 " "
66.50 Let a cut the N 13 line on West Boundary 300th N
of the post cor. of sec. 13 & 24, T. 9. N. R. 3 W. and set a
post for the cor. of sec. 18 & 19 from which,
Oak 30 in dia. bears N 61 E. 23 lbs. met; or,
Ho. 30 " " S 58 N 38 " "
Lands hills low. Timber same good farming land

North Between Secs 17 & 18, T. 9. N. R. 2 W.
27.50 Let a 1/2 report 15 miles on sec. 17.
32.50 " " Spring Brook, sec. 17.
34.50 " " Beck 10 miles on sec. 17.
40.00 Let a 1/2 report from which,
Oak 20 in dia. bears N 7 E. 37 lbs. met; or,
N Beck 8 " " S 73 E. 23 " "
80.00 Let a post for the cor. of sec. 7, 8, 17, 18 from which,
Beck 27 in dia. bears N 35 N 16 lbs. met; or,
Sugar 6 " " N 49 E. 10 " "
Lands hills & timber same. Good land for farm-
ing nearly set rate.

East Oak & sand line between Secs 8 & 17, T. 9. N. R. 2 W.
40.00 Let a 1/2 report for sec. 17.
80.00 Let a cut the N 13 line 15 miles South of the post
cor. of sec. 8, 9, 16 & 17.
Lands the same as last met.

West On the line between Secs 8 & 17, T. 9. N. R. 2 W.
40.00 Let a 1/2 report for sec. 17 just at the ar. cut in the line
(from which) Beck 5 in dia. stands for the
cor. of sec. 17 at ar. cut.
Beck 11 in dia. bears N 7 E. 17 lbs. met;
80.00 To the post cor. of sec. 7, 8, 17 & 18.

West Between Secs 7 & 18, T. 9. N. R. 2 W.
40.00 Let a 1/2 report from which,
Beck 12 in dia. bears S 27 N. 14 lbs. met; or,
Ho. 30 " " S 5 E. 28 " "
66.60 Let a cut the West Boundary 392 miles North of
the post cor. of sec. 12 & 13, T. 9. N. R. N. 3 W. and set
a post for the cor. of sec. 7 & 18 from which,
Beck 24 in dia. bears N 60 E. 15 lbs. met; or,
Ho. 10 " " S 54 N 34 " "
Lands hills Timber same. Good land.

South Oak & sand line between Secs 7 & 18, T. 9. N. R. 2 W.
40.00 Let a 1/2 report for sec. 17.
80.00 Let a cut the E 17 line 4 miles East of the post cor.
of sec. 7, 8, 17 & 18. Land set rate for farming
Timber Beck Sugar & Poplar, Walnut &c.

North On the line between Secs 7 & 18, T. 9. N. R. 2 W.
40.00 Let the 1/2 report for sec. 17 just at the ar. cut in the line from
which, Beck 18 in dia. bears S 31 N 28 lbs. met; or,

I. N. 9. A. R. N. 27. 2nd Mr.

80.60 Dogwood 6 in dia: bear N 76 W 20 lbs dist;
Set apart for the en of ear 5. 6. 7 & 8.

West Return Dec 5 18 I. N. 9. A. R. 27.

40.00 Set apart for the en of ear from which,
Buck 19 in dia: bear N 15 E 16 lbs dist; m,
Ho. 15 " " " S 17 N 42 " "

80.00 Set apart for the en of ear 5. 6. 7 & 8 from which,
Buck 9 in dia: bear N 75 E 11 lbs dist; m,
Ho. 9 " " " S 67 N 15 " "
Land here and apart mt, an apart good for
farming.

West Return Dec 6 17 I. N. 9. A. R. 27.

40.00 Set apart for the en of ear from which,
Hicks 14 in dia: bear N 29 W 1 lbs dist; m,
Buck 6 " " " S 59 E 6 " "

67.36 Set apart the West Boundary 472 mts North of
the post on of ear 1. 8. 12 I. N. 9. A. R. 37 and set a
Post for the en of ear 6 17 from which,
Buck 11 in dia: bear S 62 E 4 lbs dist; m,
Buck 12 " " " N 78 W 9 " "
Land good for farming. Timber similar

North Return Dec 5 16 I. N. 9. A. R. 27.

40.00 Set apart for the en of ear from which,
Hicks 10 in dia: bear S 7 E 11 lbs dist; m,
Oak 20 " " " N 24 W 15 " "

73.83 Set apart the N Boundary 479 mts West of the post
on of ear 31 & 33 I. N. 9. A. R. 27 and set apart for the
en of ear 5 & 6 from which,
Buck 9 in dia: bear N 40 E 2 lbs dist; m,
Ho. 10 " " " S 54 W 22 " "

I. N. 9. A. R. N. 27. 2nd Mr. Ind.

Land here and mt, Timber Principally Peach,
Surveyed by
William Harris.
Sept 10 1841

Complete?

I certify that the foregoing Transcript of the field
notes of I. N. 9. A. R. N. 27. 2nd Mr. Ind. has been
compared with the Original notes in this Office &
found to be correct.
Surveyor General's Office
Cincinnati Nov. 18. 1841

Sw. General